




# COMPANY PROFILE



# A. S. TRADERS

---



# Geodesic Dome

Dream Living Spaces Without Limits

## Core Features

- **Easy Installation & Instructions :** Our Domes arrive flat packed with a full set of easy-to-follow instructions and guides.
- **Weather Resistance :** To withstand extreme weather conditions, our team creates robust designs using high-quality PVC materials and sturdy Steel structures capable of enduring heavy snowfall and strong winds.
- **Quick ROI :** Return On Investment period varies depending on several factors but most of our customers report that they achieve complete ROI on their fully featured dome purchases within one busy season!
- **Up to 5-Years Warranty :** We take great care to offer the best quality structures, so every single component goes through meticulous quality control to leave our factory free of defects. In the unlikely event of product developing any fault due to defective workmanship or materials, we will fix or replace them free of charge.
- **India-wide Delivery :** Complete Dome will be delivered to your chosen location by one of our logistics partners. All parts come secured in strong packaging. Lead times vary depending of accessories choice and dome quantity, on avg. we ship most orders within 3 - 6 weeks.





# Choose your Size

Dome options to fit your business requirement

5m Geodesic Dome	6m Geodesic Dome	7m Geodesic Dome	8m Geodesic Dome
<b>Diameter:</b> 5m / 16.4ft	<b>Diameter:</b> 6m / 20ft	<b>Diameter:</b> 7m / 28.0ft	<b>Diameter:</b> 5m / 16.4ft
<b>Floor Space:</b> 19.6sqm	<b>Floor Space:</b> 28.0sqm	<b>Floor Space:</b> 38sqm	<b>Floor Space:</b> 50.0sqm
<b>Top Height:</b> 3.0m	<b>Top Height:</b> 3.5m	<b>Top Height:</b> 3.7m	<b>Top Height:</b> 4.0m
<b>Struts Size(mm):</b> Φ26*1.6	<b>Struts Size(mm):</b> Φ26*1.6	<b>Struts Size(mm):</b> Φ26*1.6	<b>Struts Size(mm):</b> Φ26*1.6
<b>Room Occupancy</b> 2 People	<b>Room Occupancy</b> 2 People with bathroom	<b>Room Occupancy</b> 2 People + 2 Kids	<b>Room Occupancy</b> 4 People + 2 Kids, luxury suite
<b>Bathroom</b> No	<b>Bathroom</b> Yes	<b>Bathroom</b> Yes	<b>Bathroom</b> Yes
<b>Living Spaces</b> Yes	<b>Living Spaces</b> Yes	<b>Living Spaces</b> Yes	<b>Living Spaces</b> Yes
<b>Kitchen</b> No	<b>Kitchen</b> Yes	<b>Kitchen</b> Yes	<b>Kitchen</b> Yes
<b>Loft</b> No	<b>Loft</b> No	<b>Loft</b> Yes	<b>Loft</b> Yes



# 6m Geodesic Domes Interior

- Warmth and the feeling of closeness with some more space for furnishing. Superb vacation lounge for a couple or a small family, allowing to experience the true glamping spirit and bonding amongst nature.
- 
- The most common way is to design a 6m glamping dome into a standard double bed suite. You can conveniently build a comfortable bathroom including sink, toilet and shower, king-sized bed, stove, TV and air conditioner, and other necessary furniture and appliances, suitable for single and couple staying.





AS TRADERS

# 5m Geodesic Domes Interior

- The smallest dwell dome in the offer perfectly tailored for a romantic getaway for two. The geodesic dome's low volume provides ultimate coziness and creates an alluringly intimate atmosphere.
- 
- For the geodesic dome of 5m, many active-minded customers have designed it into a fashionable restaurant. The space of 19M<sup>2</sup> is large enough for a table of guests, which can place a round dining table and eight chairs.





# 7m Geodesic Domes Interior

- Perfect glamping solution for bigger families or groups of friends. More space allows for creating an en-suite glamping pod with rich furnishing or dividing it into separate living areas.
- 
- 7m dome suite is the perfect option for creation of cozy and intimate space for glamping. It's optimal inner space could cover en-suite bedroom and additional furnishings like kitchen facilities and dining desk. Consider this dome option you are planning to create highend and comfortable glamping experience for y guests.





# 8m Geodesic Domes Interior

- An optimal dome size for creation of very comfortable yet intimate retreat. It's a perfect size for an en-suite bedroom with plenty of living space and enough room for additional furnishings. Consider this dome size if you are thinking about creating an upscale experience for your guests.
- 
- Consider 8m dome house if you are running campsite for weekend staycation and graduation trip. The bigger families and a group of friends could enjoy the gathering time under such a large space. More creation for internal space design, ensuite glamping pod with rich furnishing or dividing it into separate living areas.






# Geodesic dome kits include almost everything you need to start a glamping venture. Just add furniture & appliances and your retreat will be ready for Guests in no time!



- 1 Dome Framework:**  
Strong, reinforced, galvanised steel dome framework. Withstands the most violent weather conditions.
- 2 Panoramic Bay Window:**  
Offers nearly 180° panoramic views, can be equipped with curtains for extra privacy.
- 3 Air Circulation:**  
Ventilation openings provide natural air circulation preventing from heat and humidity accumulation.
- 4 Solar Fan:** (Optional)  
A solar-powered fan aids natural ventilation and proper air circulation.
- 5 Stove & Chimney Provision:** (Optional)  
A provision for installing a high-quality stove with bespoke chimney

- 6 Outer Cover:**  
Best in class PVC architectural membrane. 100% waterproof & fire-retardant. Customisable in 3 signature colours.
- 7 Skylight Window:** (Optional)  
This roof-placed skylight window allows for stargazing straight from a cosy bed.
- 8 Insulation Liner:**  
Provides efficient thermal insulation - whether snow, rain or heat
- 9 Entrances & Door:**  
Camping door or aluminium & glass wing-door located at the back of the dome.






# Geodesic Dome tent benefits

Reasons why **Geodesic Dome** make the best choice for Glamping Resorts!


## Wind & storm resistant



### Ideal for exposed locations

Due to the aerodynamic shape, the wind is diverted on all sides via the domes which allows the rain to flow away unhindered. The domes are weatherproof and defy all weather conditions.


## Air flow & ventilation



### Optimal air circulation

Due to the shape, the air inside can also circulate freely without building up in corners. This air circulation also ensures an even temperature distribution inside and thus also a comfortable climate for people and plants. Top windows and side windows allow for optimal ventilation in summer.

## Extreme Stability



### Optimal stability

The framework construction optimally distributes occurring loads such as snow loads, over the entire structure and can thus deal with extreme loads. Geodesic domes are extremely strong and stable.



# COVER COLOURS

3 COLOURS FOR SELECTION



Safari Beige



Snow White



Forest Green





# MATERIALS

## **Working Temperature Range: -30 to +40 °C**

- Our dome tent has two-layer of cover fabric and insulation liner. It is suitable for living in various weather conditions from 40°C to minus 30°C. It will be perfectly fitted in colder or hotter weather with the optional floor heating, air conditioning, fireplace, or other configurations

## **Life Span: Frame 15 Years, Cover Fabric 8-10 Years**

- The lifespan of a tent mainly depends on the performance of the cover tarpaulin, which is generally 8-10 years of life. Our cover fabric is tear-resistant, durable, waterproof, fire retardant, mold-proof, and anti-corrosion.

## **INSULATION LAYER**

### **Material:**

160OZ Waterproof Canvas + 6mm Aluminum Foil

### **Features:**

Radiation Heat reflection coefficient: up to 85%,  
easy installation, durable, moisture proof



## **ROOF COVER**

### **Material:**

- 850g/sqm White PVC Coated Fabric
- 950g/sqm Transparent PVC Coated Fabric

### **Features:**

100% Snow & Water-proof, Tear Resistant, UV Resistant, Fire Retardant - DIN 4102, 81, M2 I NFPA701





## DOOR

### Material:

- 80 Double Glazed Aluminium Frame
- Tempered Insulating Glass

### Features:

Quality Lockset, Fits to Door frame, H2000 x W1000mm



## STRUCTURE

### Material:

- High Quality Q235 Galvanised Steel; White Baking Finished with Stainless Steel Nuts & Screws
- Struts Size : 26×1.5mm or 32x2mm

### Features:

- **Wind Load:** 100-120km/h. The wind resistance of the tent depends on the connection method of the base.
- **Snow Load:** 75kg/m<sup>2</sup>. If the snow on the dome reaches 15cm, you should remove it with a broom or similar tool in order to prevent damage to the dome cover.





# A Frame Cottage/Modular Cabin

Dream Living Spaces Without Limits

## A-Frame House/Cottage

- The A-frame design has been around for centuries and can be traced back to the traditional architecture of many cultures, including China, Japan, and Europe. The shape of the A-frame is thought to have originated as a practical solution to shedding heavy snow loads in areas with cold and snowy climates.
- The A-frame's triangular shape and steeply pitched roof made it an ideal choice for this purpose. A-frame Cottage has a tall, triangular roof that resembles the capital letter "A." An A-frame is generally a two-storey or three-storey house with a large living area on the first floor, a smaller second storey above the living room, and a tiny top floor that works as a sleeping loft. Large windows let in ambient daylight on the front and back walls of the house. The other two walls are the slanted sides of the A-shaped roof.





## Detailed Specification for A frame Cottage /Modular Cabin

SPECIALIST IN STEEL PREFABRICATED HOUSE/RESORT'S/HUTS/A-FRAME COTTAGE/RESTRO. INNOVATION


### DETAILED SPECIFICATIONS

- ALL STRUCTURAL WORK WILL BE DONE USING IRON PIPES OF APOLLO BRAND ISI MARKED.
- PLATFORM/MEZanine DECK: IRON STRUCTURE & 18MM THICK CEMENT FIBRE BOARD WILL BE USED TO MAKE THE PLATFORM.
- APP MEMBRANE FOR WATERPROOFING TREATMENT. ROOFING TYPE: - TINSHED/ROOFING SHINGLES/METAL SHINGLES/USABLE TERRACE ROOF.
- 50MM THICK GLASSWOOL & THERMACOL FOR HEAT INSULATION & SOUND PROOFING.
- WALL INSIDES: - 8MM THICK CEMENT FIBRE BOARD WITH PAINT/SUPER HEAVY-DUTY PVC WALL PANELING / PINE WOOD WALL PANELING WITH TOUCH WOOD POLISH.
- WALL EXTERIOR: -10MM THICK CEMENT FIBRE BOARD WITH PAINT / CEMENT FIBRE BOARD WOODEN FINISH PLANKS WITH PAINT/INSULATED COLOUR COATED WOODEN FINISH PLANKS.
- FLOOR TYPE: - VITRIFIED TILES FOR FLOOR/PINE WOOD FATTE 38MM THICK / WOODEN FLOORING
- FALSE CEILING TYPE: - PVC CEILING/GYPSUM CEILING WITH PAINT / PINE WOOD PLANKS CEILING WITH POLISH.
- ELECTRIC POLYCAB/ANCHOR/HAVELLS

LIFELINE/GREATWHITE.






- WATERPROOF MEMBRANE FLUSH DOOR/ UPVC OPENABLE DOOR WITH GLASS.
- UPVC WINDOWS & VENTILATIONS.
- BATHROOM FITTING JAGUAR/CERA.
- KITCHEN AS PER CLIENT REQUIREMENT.
- UV MARBLE SHEET FOR BATHROOM WALL'S.

COST EXCLUDES: CIVIL WORK IF ANY, FURNITURE AS PER REQUIREMENT,






AS TRADERS







AS TRADERS








FLOOR

900x2100 900x2100 900x2100




LOFT









AS TRADERS









# FIXED SKY LIGHTS

## Feature of Fixed Sky Light

- Made of strong extruded aluminum alloy which is powder coated with super durable powder coating with a warranty of 15 years.
- These are light weight but strong by construction and has the ability to sustain all weather conditions.
- Glazing is made of Compact polycarbonate sheets with UV protection and warranty of 10 years. The polycarbonate is 12 times tougher than toughened glass which is safer for roof applications.
- Sealing is done with high quality EPDM which is resistant to the harsh environmental conditions thus providing a totally leakproof solution.
- The Fixed Skylights are corrosion resistant, hence ensuring a long-lasting solution.
- The Fixed skylights provides total rain protection and is leakproof. It is built to withstand all weather conditions
- A world class product of high Quality , Aesthetic and Performance.

## BENEFITS OF FIXED SKYLIGHTS

- Fixed Skylights are light Weight . It does not require Heavy steel structure and supports as required by Glass Skylights thereby reducing the cost.
- The Compact polycarbonate sheets that are used are unbreakable, UV protected and light weight. They can be formed to any required shape. The Polycarbonate sheets are available in different shades .These are the Significant benefits over conventional glass Skylights.
- In conventional glass skylights the Glass is fixed with the steel structure with adhesives. This over a period of time develops perennial leakage issues. We specially designed Skylights the Poly carbonate sheets are properly sealed with special EPDM gaskets with the Aluminum structure to provide a 100% leak proof solution over the lifetime.
- Uses all Noncorrosive material ensuring long lasting service.
- In a Glass skylight there is always a probability of Breakage and causing dangerous Injuries. Our Skylights are unbreakable and Safe.





## FIXED SKYLIGHTS

Skylights can completely change the feel of the building. They provide light and can provide a beautiful view of the sky or other scenery. They don't just let in more natural light, they also create a much more open feeling of space. A window above your bed allows you to gaze at the stars or passing clouds, and one above a dining room could have you eating beneath the trees. A skylight can do wonders for essentially any room in a home or a commercial space, but you need to choose the right kind of skylight to achieve your specific goal and make an architectural statement. Fixed skylights are specifically designed as per the site requirement. It is a custom-built product to provide a functional solution with enhanced aesthetic appeal to suit the architectural settings



## DOMES ENCLOSURE

- Dome Enclosures are beautifully designed light structures to enjoy the outside from the inside all year round. A separate room for sitting in the open. They are multipurpose portable Dome enclosures that will transform your outside area and create a very stylish space. They are multipurpose and can be used as a Spa, Private Dining Area, relaxation room, entertainment, WFH, Exercise room, Pet home and much more. They are built to withstand wind, snow, rain, and bad weather like thunder storms and cyclones. It ensures an unobstructed 360 panoramic view, as well as a view of the sky above. These are perfect alternatives to highly expensive structures. The unique Dome enclosures are not only a fabulous addition to private gardens but are also used by pubs, hotels, restaurants, care homes and other commercial ventures to monetise outdoor areas. It can be easily installed and also relocated within a short time. They are a quirky and cost effective alternative to a permanent structure.



# DOME ENCLOSURE

## FEATURES OF DOME ENCLOSURE

- The dome enclosures are unique and brilliant in design.
- The Structural components are powder coated and made of high grade Aluminium extrusions and Stainless steel and will not corrode or deteriorate in external conditions.
- Polycarbonate glazing is UV protected substantially reduces the sunlight's glare, creates an environment that is easy on one's eyes and helps to maintain a comfortable indoor temperature making it a perfect retreat.
- They don't require expensive foundation and can be simply fixed on a flat floor surface.
- Sliding Lockable Door.
- A ventilating fan is provided to remove the heat and moisture.
- Climate controlled enclosures using an AC or Room Heater.
- Sizes: 4m, 5m, 6m, 8 m and upto 10m (can be customised too).
- Waterproof, moisture proof, leak proof.

## BENEFITS OF DOME ENCLOSURE

- Any out door open space such as garden, terrace area, within a building etc can be converted into a private Space which is extremely attractive and functional.
- An effective alternate to permanent structure.
- Can be dismantled and relocated to a different location easily.
- Corrosion resistant and resistant to harsh external conditions.
- In Pubs, hotels and restaurants it creates private space for dining.





# POLYCARBONE DOMES

The Domes are especially designed to be placed in an open area. It ensures an unobstructed 360° panoramic view, as well as a view of the sky above. It is just like a separate room for sitting in the garden.

Polycarbonate glazing substantially reduces the sunlight's glare, creates an environment that is easy on one's eyes and helps to maintain a comfortable indoor temperature. The structural components used in enclosure are simple and practical. Structure can easily be assembled and installed. Also, the product is easy to maintain.

The above product is suitable for :

- Residence
- Restaurants
- Recreation clubs
- Marriage Garden
- Cafeteria
- Hotels / Resorts





## PEARL DOME



- The Domes are especially designed to be placed in an open area. It ensures an unobstructed 360° panoramic view, as well as a view of the sky above. It is just like a separate room for sitting in the garden.
- Polycarbonate glazing substantially reduces the sunlight's glare, creates an environment that is easy on one's eyes and helps to maintain a comfortable indoor temperature. The structural components used in enclosure are simple and practical. Structure can easily be assembled and installed. Also, the product is easy to maintain.
- The above product is suitable for :
  - Residence - Restaurants - Recreation clubs
  - Marriage Garden - Cafeteria - Hotels / Resorts





## ABOUT THE PRODUCT

- Pearl of Garden is an Igloo shaped dome enclosure with 1 Sliding door.
- Use of A-grade non-corrosive aluminium profiles (powder coated) and stainless steel makes it corrosion free, with a warranty of 15 years.
- High-grade compact polycarbonate sheets are used which is 12 times tougher than toughened glass and it is UV coated on both sides. Polycarbonate sheets are unbreakable and thus used for safety and durability.
- 4 different variety of Polycarbonate Sheets can be used. A clear polycarbonate can be used for transparency while an embossed polycarbonate is used for privacy.
- Cast nylon rollers are used to slide the doors for its good wear and abrasion resistance. The fasteners used are all high grade Stainless steel, which makes the product minimum to nil maintenance.
- Air vents are provided near the ceiling to allow hot air escape.
- It is designed to withstand heavy wind, rain and snow loads.
- Security is well taken care of with lockable doors.





LED Neon lights can be provided along the profiles to provide lighting inside.

The sealing of all the segments are done by specially designed high-grade EPDM gaskets. Its excellent sealing properties ensure that the enclosure is 100% leak proof.

The space inside the Pearl of Garden can be air conditioned or heated using tower AC or heaters respectively.

Can be customized with any modifications in design as per requirement.

Can be fitted onto a level ground base including wood decking.

Can be installed and disassembled to relocate in three hours flat.

Ideal for spa, hot tub, private dining space or an exercise room.

Standard size is 4 meters in Diameter and 2.4m in Height.

It is the ideal leisure / relaxation room to complement your home, restaurant or a resort.






# INTERIOR DESIGN


a unique accommodation and comfort experience

**We can offer you diversified interior design plans according to your requirements and the environment of the campsite. Pictures of the interior effect and general representation of the camp are available. The effect that the interior functional division is reasonable and the overall style is unified and coordinated can be achieved. Beauty, comfort and practicality are essential.**






## Maximum Solar Gain & Light



### Optimal incidence of light

The special design enables the optimal use of solar energy and sunlight. The arc of the sun's path corresponds to that of the dome which allows the sun's rays to hit the dome at a  $90^\circ$  angle at any time of the day.


## Less material less cost



### Optimal material-volume ratio

The dome construction makes it possible to encompass the largest possible volume with the least amount of material and to create a free space without pillars. Compared to a building with a square base, the dome has 20% less surface with the same volume.

## Nature Form




### Natural shape

Due to their geometric rhythm, the domes fit perfectly into any environment and represent a visual highlight. The architecture of the Dome has partially transparent walls that make you feel like you are living in the middle of nature. The Dome does not have a foundation and its construction over the ground protects and harmonizes with nature and its surroundings.





# STRUCTURAL DESIGN (Front View)



Inner Diameter	3918 mm
Outer Diameter	4000 mm
Inner Height	2355 mm
Outer Height	2500 mm



# STRUCTURAL DESIGN (Top View)





# RETRACTABLE ROOF

## FEATURES OF RETRACTABLE ROOF

- Made of strong extruded aluminum alloy which is powder coated with super durable powder coating with a warranty of 15 years.
- These are light weight but strong by construction and has the ability to sustain all weather conditions.
- Glazing is made of Compact polycarbonate sheets with UV protection and warranty of 10 years. The polycarbonate is 12 times tougher than toughened glass which is safer for roof applications.
- Sealing is done with high quality EPDM which is resistant to the harsh environmental conditions thus providing a totally leakproof solution.
- Motorised operation makes the retractable roof function flawless. Just with the touch of the button the retractable roof opens up the sky for you.
- The Retractable roof is corrosion resistant hence ensuring along lasting solution .
- The retractable roof provides total rain protection and is leakproof. It is built to withstand all weather conditions.
- A world class product of high Quality , Aesthetically designed and good Performance.

## BENEFITS OF RETRACTABLE ROOF

- Retractable roofs open up for complete fresh air exchange into the space below.
- Provides a unique connect with the nature and unmatched view of sky and surrounding nature.
- Natural lighting is available through out the year in all weather conditions.
- Adding beauty and functionality to any space.
- It provides a very special experience with its elegance and positivity.





## RETRACTABLE ROOF

Retractable roofs are the best solution to cover courtyards, atriums, indoor pool areas ,open coffee shops, Bars and Restaurants, outdoor recreation areas ,Terraces and the possibilities are plenty. The retractable roofs allows you access much needed natural sunlight and ventilation at the same time providing complete protection from rains and bad weather conditions. The Retractable roofs can be stopped at any desired position or can be completely opened.

The retractable roofs are specifically designed as per the site requirement. It is a custom built product to provide a functional solution with enhanced aesthetic appeal to suit the architectural settings.

## RETRACTABLE PATIO ENCLOSURE

- No need to worry about rain and weather changes any more. During Nice weather you can completely open it to enjoy the space and during Rains and Bad weather you can close it and still enjoy the space. Retractable Patio enclosures are an excellent solutions to convert outdoor spaces like Terraces, Balconies , Patios, Garden into a safe and elegant functional spaces . With this unique product, we allow homes to be extended beyond your dreams. Imagine having a clean outdoor space attached to the home where you could relax with nature with total protection from rain and bad weather also allow your kids and pets to play without security concerns. This product will also beautify an open terrace restaurant and also increase the footfall during rainy days . It also gives extra protection to all the outdoor furniture because of the UV coated polycarbonate sheets. Our Patio are also customized according to your needs just like our other products.





# RETRACTABLE ROOFS & ENCLOSURES

- Human Beings have evolved thus far with the best of indoor living spaces for residential as well as commercial purposes. There is other 2 types of living spaces, which is “Indoors as Outdoors” and “Outdoors as Indoors”
- **Indoors as Outdoors** - Mostly in tropical regions, there is a concept of having sunlight come into the living area. This was an age-old concept in such regions, where-in the residential and commercial spaces would have open courtyards in the centre of the buildings, so that the indoors are kept bright and less humid. But one disadvantage of such courtyards was the entire area becomes messy during rains and thunderstorms. To protect these areas from such bad weather, people started using fixed glass skylights. These Glass Skylights did not do any help with the Humid and heat trap conditions, whereas it was only providing sunlight.
- Retractable Roof is the best alternate to such fixed Glass skylights. These unique movable roofs provide both sunlight as well as protection from rough climatic conditions by just keeping it open or close whenever needed with a click of a button.
- **Outdoors as Indoors** - These are the unique areas just outside our living spaces which may be gardens, patios, balconies, etc. And these may be in both residences and commercial spaces like Hotels, Restaurants, Resorts, Staycations, Offices, etc. We enjoy using these outdoor spaces only when the climate is conducive. When the weather turns rough, we leave these spaces and rush to close-by secure indoors. This is where our robust and strong **Retractable Enclosures** becomes very useful. It allows people to relax and use the space without bothering much about the weather conditions. With just click of a button, the entire outdoor space becomes indoor, providing the much relief from the harsh climate without much of an effort and in no time.



# RETRACTABLE PATIO ENCLOSURE

## FEATURES OF RETRACTABLE PATIO ENCLOSURE

- Made of strong extruded aluminium alloy which is powder coated with super durable powder coating with a warranty of 15 years.
- These are light weight but strong by construction and has the ability to sustain all weather conditions.
- Roof Glazing is made of Compact polycarbonate sheets with UV protection and warranty of 10 years. The polycarbonate is 12 times tougher than toughened glass which is safer for roof applications. The vertical glazing is done with toughened glass.
- Generally the operations of segments are manual. On request the operations can be Motorised.
- The Retractable patio enclosure is corrosion resistant hence ensuring a long lasting solution.
- The retractable patio enclosure provides total rain protection and is leakproof. It is built to withstand all weather conditions.
- A world class product of high Quality, Aesthetic and Performance.

## BENEFITS OF RETRACTABLE PATIO ENCLOSURE

- Retractable patio enclosures open up for complete fresh air exchange into the space inside.
- Provides a unique connect with the nature and unmatched view of sky and surrounding nature .
- Complete protection from Sun, Wind and Rain.
- Adding beauty and functionality to any space.
- It provides a very special experience with its elegance and positivity.





Thank You

